



MEASURE POSTS AND MARKER POSTS





Measuring posts and marker posts Aluminium posts

Measuring posts and marker posts for cathodic corrosion protection combine the latest application technology with optimal material properties. The outstanding features are security, stability and user-friendliness.

The posts

- made of high-quality aluminium, very stable
- UV and corrosion resistant
- the detachable upper section facilitates convenient execution of measurements and inspections
- with a solid lock to prevent unauthorized access available in various lengths and editions so that the post can be exactly adapted to the applicable requirements

The anchorage

The marker posts and measuring posts come with an earth anchor bar or, in the special edition, with splayed feet.

The sign fastening

- for marker posts, attachment can be made to the screw-fixing channel at any desired height

Aerial-View plates

- the round aerial-view plate made from top-quality Luran S plastic is robust and non-fading
- the powder-coating aluminium aerial-view plate with a roof shape is stable and corrosion resistant
- print prints/folis on request



Marker post with screw-fixing channel

Measuring post modular design







The plastic connecting piece between the upper and lower sections is completely detachable. The entire interior diameter can be used for cabling.



Flexible selection of cable installation. Both an electrical connection board for pole terminals and mounting rails (TS32) for clamp connectors can easily be inserted.










**Measuring posts and marker posts
Aluminium posts**

| Description | Type |
|--|--|
|  <p>Measuring posts - modular design Aluminium (AlMgSi) powder-coated, yellow, incl. electrical connection board for 2x6 pole terminals, earth anchor bar, cap and plastic key</p> <p>The same with splayed feet</p> | <p>Ø 100 mm 1,5 m 2,0 m 2,5 m 3,0 m</p> <p>Ø100 mm 1,5 m 2,0 m 2,5 m 3,0 m</p> |
|  <p>Marking post with screw-fixing channel Aluminium (AlMgSi), powder-coated, yellow, incl. earth anchor bar and cap</p> | <p>Ø48 mm 2,0 m 2,5 m 3,0 m</p> <p>Ø60 mm 2,0 m 2,5 m 3,0 m</p> <p>Ø100 mm 2,0 m 2,5 m 3,0 m</p> |
|  <p>Marker post PROFILAL Aluminium (AlMgSi) powder-coated, yellow, with splayed feet and cap</p> | <p>Ø60 mm 2,0 m 2,5 m 3,0 m</p> <p>Ø100 mm 2,0 m 2,5 m 3,0 m</p> |
|  <p>Special colours available on request - Blank, blue, white, grey, green</p> | |



**Measuring posts and marker posts
Accessories**

| Description | Type |
|---|--|
|  <p>Aluminium bracket set – universal incl. 2 screws</p> | Ø48 mm Ø60 mm Ø100 mm |
|  <p>Accessory for fasstening to screw-fixing channel bag of 100 pieces</p> | V2A screws 5,5 x 16 mm |
|  <p>Special aluminium earth anchor For posts with screw-fixing channel 250 x 250 x 2,5 mm</p> | Ø48/60 mm Ø60/100 mm |
|  <p>Aerial-view plates Roof shape Aluminium, powder.coated, yellow, (special colours on request)</p> | 330 x 250 mm 500 x 330 mm 600 x 330 mm |
| <p>Fastening set for aerial-view plate roof shape for direct mounting on posts and aerial-view plate adaptors</p> | |
|  <p>Round shape Luran S, yellow, (special colours on request) incl. nut/bolt M8 for direct mounting on posts and aerial-view plate adaptors</p> | Ø440 mm |
|  <p>Aluminium aerial-view plate adaptor set for aluminium marker posts with screw-fixing channel incl. V2A screws</p> | Ø48/60/100 mm |
|  <p>For Aluminium measuring post and aluminium marker post PROFILAL incl. V2A screws</p> | Ø60 mm Ø100 mm |
| <p>Pole terminals (4mm socket) Red, black, green, yellow</p> <p>63 ampere on request</p> | 16 ampere |
| <p>Mounting rails for TS 32/35 clamp connectors</p> | L450/280 L550/380 |



Measuring posts and marker posts Plastic posts PMMA

Our measuring posts and marker posts with PMMA coating continue the winning formula of combining top quality with optimal material properties, security, stability and user-friendliness.

The posts

- made of high-quality weather-resistant plastic
- ABS provides post with high impact strength
- non-fading and UV resistant thanks to co-extruded PMMA coating
- scratch-resistant surface
- fully detachable upper section, provides optimal access for installation and measurement
- solid lock to prevent unauthorized access
- individually packed in foil wrappers

The anchorage


Marker posts and measuring posts come with an earth anchor bar or, in the special edition, with splayed feet

The sign fastening

Attachment is made to the flattened top of the upper section using a backing plate and then a snap-on FP indicator sign.

Aerial-view plates

- the round aerial-view plate made from top-quality Luran-S plastic is robust and non-fading
- the powder-coated aluminium aerial-view plate with a roof shape is stable and corrosion resistant



Special edition with splayed feet



Earth anchor bar



Modular system for flexible cabling



Screwed-on backing plate (can be provided ex-factory)






Snap on the FP indicator sign



Mounting for aerial-view plate adaptor



Test station posts

| Description | Type |
|--|--|
|  <p>Measuring post - modular design plastic, PMMA coating yellow, flat paddle top, for 1 x indikator sign 140x200 mm incl. electrical connection board for 2x6 pole terminals, with earth anchor bar, cap and plastic key, optionally with inspection hatch</p> <p>same for 2 x indikator sign, earth anchor bar</p> <p>same for 1 x indikator sign, splayed feet</p> <p>same for 2 x indikator sign, splayed feet</p> <p>Marker post Ø100 mm Plastic, PMMA coating Yellow, flat paddle top, for 1 x indikator sign 140 x 200 mm, With earth anchor bar</p> <p>same for 2 x indikator sign, earth anchor bar</p> <p>same for 1 x indikator sign, splayed feet</p> <p>same for 2 x indikator sign, splayed feet</p> <p>Same for special colour blue, for 1 x indikator sign, Earth anchor bar</p> <p>Above posts also with flat paddle top for 2 x indikator sign 140 x 200 mm available more special editions and special colours on request</p> | <p>Ø100 mm 2,0 m 2,5 m 3,0 m</p> <p>2,0 m 2,5 m 3,0 m</p> <p>2,0 m 2,5 m 3,0 m</p> |
|  <p>Aerial-view plate round shape, yellow incl. nut/bolt M8</p> | |
|  <p>Aluminium aerial-view plate adaptor for PMMA post Incl. A2V screws</p> | |
| <p>Pole terminals (4 mm socket) Red, black, green, yellow</p> | <p>16 ampere</p> |
| <p>Mounting rails TS 32 for clamp connectors</p> | <p>L450/280 L550/380</p> |

Technical modifications reserved

09-16-211